




# THERMOMETERS

## Industrial Thermometer



- Accuracy: 1%
- Adjustable Angle
- Aluminum Stem
- Plastic Case
- Glass Window
- Organic Liquid Filled Tube



| PART #  | SIZE / DESCRIPTION                            | INNER | MASTER |
|---------|---|-------|--------|
| RG40-9H | 9" Hot Water Thermometer 3-1/2" Stem 30-240°F | 1     | 25     |
| RG40-9C | 9" Cold Water Thermometer 3-1/2" Stem 0-120°F | 1     | 25     |



| PART #  | SIZE / DESCRIPTION                         | INNER | MASTER |
|---------|--|-------|--------|
| RG40-WS | 3-1/2" Brass Well W/Rubber Gasket          | 6     | 50     |
| RG40-WE | 3-1/2" Brass Extended Well W/Rubber Gasket | 6     | 50     |

## Hot Water Thermometer



- Accuracy: 1%
- Available in Brass or Steel Thermowell
- Available in Straight or Angle Stem
- Painted Steel Body
- Temperature Range 40°-280°F
- 1/2" NPT Mount
- Organic Liquid Filled Tube



| PART #  | SIZE / DESCRIPTION                     | INNER | MASTER |
|---------|--|-------|--------|
| RG45-AS | Steel Well, Angle 1/2" NPT 40-280°F    | 1     | 50     |
| RG45-AB | Brass Well, Angle 1/2" NPT 40-280°F    | 1     | 50     |
| RG45-SS | Steel Well, Straight 1/2" NPT 40-280°F | 1     | 50     |
| RG45-SB | Brass Well, Straight 1/2" NPT 40-280°F | 1     | 50     |

## Hot Water Thermometer



- Accuracy: 1%
- 2-1/2" Display with Steel Zinc Plated Case
- Available in IPS & SWT Well
- Glass Window
- Lead Free Compliant Wells



| PART #     | SIZE / DESCRIPTION              | INNER | MASTER |
|------------|---------------------------------|-------|--------|
| LFRAWHWT   | Thermometer W/ IPS Well         | 1     | 100    |
| LFRAWHTC   | Thermometer W/ SWEAT Well       | 1     | 100    |
| LFRAWHTIPS | Thermometer W/ IPS & SWEAT Well | 1     | 50     |

### Hot Water Thermometer Wells

| PART #        | SIZE / DESCRIPTION | INNER | MASTER |
|---------------|--------------------|-------|--------|
| LFWELL-IPS    | IPS Well           | 1     | 100    |
| LFWELL-COPPER | SWEAT Well         | 1     | 100    |

## Strap-On Thermometer



- Accuracy: 1%
- Stainless Steel Spring
- Glass Window
- 2-1/2" Display



| PART #     | SIZE / DESCRIPTION | INNER | MASTER |
|------------|--------------------|-------|--------|
| SORAVHWT-1 | 30°-250° F         | 1     | 100    |

## E-Z Traitimeter Boiler Gauge



- Dual Scale Temperature and Pressure Gauge Display
- Temperature Range 30°-250°F
- Pressure Range 0-60 PSI
- Connection 1/4" NPT



| PART #    | SIZE / DESCRIPTION   | INNER | MASTER |
|-----------|----------------------|-------|--------|
| EZTRISTD  | Short Shank 1/4" NPT | 6     | 50     |
| EZTRILONG | Long Shank 1/4" NPT  | 6     | 50     |

# PRESSURE GAUGES & TEST GAUGES

## Utility Gauges

- Accuracy: 3-2-3%
- 1/4" NPT Male Threaded Mount
- Black Steel Case and Ring
- Internal Brass Parts
- Polycarbonate Lens



**RAVEN**  
SPECIALTY PRODUCTS

## 2" Display Utility Gauges

| PART # | SIZE / DESCRIPTION | INNER | MASTER |
|--------|--------------------|-------|--------|
| PG230  | 0-30 PSI Gauge     | 1     | 100    |
| PG260  | 0-60 PSI Gauge     | 1     | 100    |
| PG2100 | 0-100 PSI Gauge    | 1     | 100    |
| PG2160 | 0-160 PSI Gauge    | 1     | 100    |
| PG2200 | 0-200 PSI Gauge    | 1     | 100    |
| PG2300 | 0-300 PSI Gauge    | 1     | 100    |

## 2-1/2" Display Utility Gauges

| PART # | SIZE / DESCRIPTION | INNER | MASTER |
|--------|--------------------|-------|--------|
| PG15   | 0-15 PSI Gauge     | 1     | 100    |
| PG30   | 0-30 PSI Gauge     | 1     | 100    |
| PG60   | 0-60 PSI Gauge     | 1     | 100    |
| PG100  | 0-100 PSI Gauge    | 1     | 100    |
| PG160  | 0-160 PSI Gauge    | 1     | 100    |

## 3-1/2" Display Utility Gauges

| PART #  | SIZE / DESCRIPTION | INNER | MASTER |
|---------|--------------------|-------|--------|
| PG3515  | 0-15 PSI Gauge     | 1     | 50     |
| PG3530  | 0-30 PSI Gauge     | 1     | 50     |
| PG3560  | 0-60 PSI Gauge     | 1     | 50     |
| PG35100 | 0-100 PSI Gauge    | 1     | 50     |
| PG35160 | 0-160 PSI Gauge    | 1     | 50     |
| PG35200 | 0-200 PSI Gauge    | 1     | 50     |
| PG35300 | 0-300 PSI Gauge    | 1     | 50     |

## 4-1/2" Display Utility Gauges

| PART #  | SIZE / DESCRIPTION | INNER | MASTER |
|---------|--------------------|-------|--------|
| PG4515  | 0-15 PSI Gauge     | 1     | 20     |
| PG4530  | 0-30 PSI Gauge     | 1     | 20     |
| PG4560  | 0-60 PSI Gauge     | 1     | 20     |
| PG45100 | 0-100 PSI Gauge    | 1     | 20     |
| PG45160 | 0-160 PSI Gauge    | 1     | 20     |
| PG45200 | 0-200 PSI Gauge    | 1     | 20     |
| PG45300 | 0-300 PSI Gauge    | 1     | 20     |

## 2-1/2" Liquid Filled Gauges

- Accuracy: 3-2-3%
- Glycerin Filled Circular Dial
- 2-1/2" Display with Stainless Steel Case
- Internal Brass Parts
- Tempered Glass Lens



**RAVEN**  
SPECIALTY PRODUCTS

| PART #   | SIZE / DESCRIPTION | INNER | MASTER |
|----------|--------------------|-------|--------|
| PG2.515  | 0-15 PSI Gauge     | 1     | 50     |
| PG2.530  | 0-30 PSI Gauge     | 1     | 50     |
| PG2.560  | 0-60 PSI Gauge     | 1     | 50     |
| PG2.5100 | 0-100 PSI Gauge    | 1     | 25     |
| PG2.5160 | 0-160 PSI Gauge    | 1     | 25     |
| PG2.5200 | 0-200 PSI Gauge    | 1     | 25     |
| PG2.5300 | 0-300 PSI Gauge    | 1     | 25     |

## Water Test Gauge

- 2-1/2" Display
- Steel Case
- Internal Brass Parts
- Polycarbonate Lens
- Swivel Brass Hose Connection



**RAVEN**  
SPECIALTY PRODUCTS

| PART #   | SIZE / DESCRIPTION             | INNER | MASTER |
|----------|--------------------------------|-------|--------|
| RG66-300 | 0-300 PSI Gauge                | 1     | 50     |
| RG66-301 | 0-300 PSI Gauge W/ Red Pointer | 1     | 50     |

## Gas Test Gauge

- Accuracy: 3-2-3%
- 2" Display
- Black Steel Case and Ring
- Internal Brass Parts
- Polycarbonate Lens
- Black Painted Iron Bell



**RAVEN**  
SPECIALTY PRODUCTS

| PART #     | SIZE / DESCRIPTION             | INNER | MASTER |
|------------|--------------------------------|-------|--------|
| RG60-3415  | 15 PSI, 3/4" NPT Bell Reducer  | 1     | 50     |
| RG60-3430  | 30 PSI, 3/4" NPT Bell Reducer  | 1     | 50     |
| RG60-3460  | 60 PSI, 3/4" NPT Bell Reducer  | 1     | 50     |
| RG60-34100 | 100 PSI, 3/4" NPT Bell Reducer | 1     | 50     |
| RG60-1015  | 15 PSI, 1" NPT Bell Reducer    | 1     | 50     |
| RG60-1030  | 30 PSI, 1" NPT Bell Reducer    | 1     | 50     |
| RG60-1060  | 60 PSI, 1" NPT Bell Reducer    | 1     | 50     |
| RG60-10100 | 100 PSI, 1" NPT Bell Reducer   | 1     | 50     |

# TESTER GAUGES & KITS

## Gas Tester & Pressure Kit



- 3 - 1818 MxF Ball Valve Shut Off
- Ball & Barbed Adapter
- Bulb & Hose Assembly
- Includes Heavy Duty Case
- Snifter Valve
- 3/4" M x 1/2" F x 1/8" F x 1/4" F x 1/4" F Double Test Tee



| PART # | SIZE / DESCRIPTION              | INNER | MASTER |
|--------|---------------------------------|-------|--------|
| GPTK-5 | 5 PSI & 160 PSI Gauge Combo Kit | 1     | 10     |
| GPTK   | 7 PSI & 160 PSI Gauge Combo Kit | 1     | 10     |

## Pressure Test Kit



- Test Tee
- Snifter Valve
- Swivel Hose Connector
- 160 PSI Gauge



| PART # | SIZE / DESCRIPTION  | INNER | MASTER |
|--------|---------------------|-------|--------|
| PTK    | 0-160 PSI Gauge kit | 1     | 40     |

## Gas & Pressure Test Kit Parts



| PART # | SIZE / DESCRIPTION | INNER | MASTER |
|--------|--------------------|-------|--------|
|--------|--------------------|-------|--------|

### Gauges

|       |             |   |    |
|-------|-------------|---|----|
| GTG-5 | 5 PSI Gauge | 1 | 50 |
| GTG-7 | 7 PSI Gauge | 1 | 50 |

### Test Tees

|      |  |   |    |
|------|--|---|----|
| TSTT | 3/4" M x 1/2" F x 1/8" F x 1/4" F          | 1 | 50 |
| PTT  | 3/4" M x 1/2" F x 1/8" F x 1/4" F x 1/4" F | 1 | 50 |

### Bulb & Hose Assembly

|     |                |   |     |
|-----|----------------|---|-----|
| BHA | For GPTK & GTK | 1 | 100 |
|-----|----------------|---|-----|

## Gas Tester Kit



- 1818 MxF Ball Valve Shut Off
- Ball & Barbed Adapter
- Bulb & Hose Assembly
- Includes Heavy Duty Case
- Snifter Valve
- 3/4" N x 1/2" F x 1/8" f x 1/4" f Long Body Tee



| PART # | SIZE / DESCRIPTION | INNER | MASTER |
|--------|--------------------|-------|--------|
| GTK-5  | 5 PSI Gauge Kit    | 1     | 10     |
| GTK    | 7 PSI Gauge Kit    | 1     | 10     |

## Low Pressure Gas Tester

- 2" Display
- Steel Case and Ring
- Yellow Zinc Plated Steel Hex Body
- Snifter Valve & Mini Ball Valve



| PART # | SIZE / DESCRIPTION                               | INNER | MASTER |
|--------|--|-------|--------|
| 52051  | 5 PSI Complete Kit w/ Bulb & Hose, Valves & Case | 1     | 10     |
| 5205   | 5 PSI GasTester Hex Body w/ Valves               | 1     | 20     |
| 5210   | 10 PSI GasTester Hex Body w/ Valves              | 1     | 20     |

## Gas Pressure Tester



- 2" Display
- Steel Case and Ring
- Internal Brass Parts
- Yellow Zinc Plated Steel Hex Body
- Polycarbonate Lens



| PART #   | SIZE / DESCRIPTION                  | INNER | MASTER |
|----------|-------------------------------------|-------|--------|
| 5215     | 15 PSI GasTester 3/4" FIP Hex Body  | 1     | 50     |
| 5230     | 30 PSI GasTester 3/4" FIP Hex Body  | 1     | 50     |
| RG52-60  | 60 PSI GasTester 3/4" FIP Hex Body  | 1     | 50     |
| RG52-100 | 100 PSI GasTester 3/4" FIP Hex Body | 1     | 50     |
| RG52-160 | 160 PSI GasTester 3/4" FIP Hex Body | 1     | 50     |
| RG52-200 | 200 PSI GasTester 3/4" FIP Hex Body | 1     | 50     |

### Gas Pressure Test Parts

|            |                             |   |     |
|------------|-----------------------------|---|-----|
| RG52-HEX   | Yellow Zinc Plated Hex Body | 1 | 100 |
| RG52-SNIFF | Snifter Valve               | 1 | 500 |