



ASTM

# F1960

EXPANSION PEX

Brass Fittings | Plastic Fittings | Valves | Specialties



# F1960 BRASS EXPANSION PEX FITTINGS



Manufactured to ASTM Standard F1960, CSA B137.5. DZR Brass Material. NSF Approved. Lead Free Compliant.  
For use with PEX-a Tubing Manufactured to ASTM Standard F876-877. Pressure/Temperature Rating: 250 psi / 180°F  
Everflow warrants ASTM F1960 fittings ONLY when used with PEX-a tubing and when joints are made according to ASTM specifications.

## BRASS ELBOW F1960 PEX x F1960 PEX

- Lead Free



PART #	SIZE	INNER	OUTER	LIST
WPLN0038-NL	3/8"	50	400	\$5.80
WPLN0012-NL	1/2"	50	200	\$5.75
WPLN0058-NL	5/8"	50	200	\$9.28
WPLN0034-NL	3/4"	50	150	\$9.29
WPLN0100-NL	1"	50	80	\$19.92
WPRL3412-NL	3/4" x 1/2"	50	200	\$8.12

## BRASS ELBOW F1960 PEX x Female Sweat

- Lead Free



PWSL1212-NL	1/2" x 1/2" Female SWT	25	250	\$7.20
PWSL1234-NL	1/2" x 3/4" Female SWT	25	100	\$9.14
PWSL3458-NL	3/4" x 5/8" Female SWT	50	150	\$9.78
PWSL3412-NL	3/4" x 1/2" Female SWT	25	150	\$9.66
PWSL3434-NL	3/4" x 3/4" Female SWT	25	100	\$11.16

## BRASS ELBOW F1960 PEX x Male Sweat

- Lead Free



WPMSL1212-NL	1/2" x 1/2" Male SWT	25	200	\$6.27
WPMSL1234-NL	1/2" x 3/4" Male SWT	25	200	\$8.03
WPMSL5834-NL	5/8" x 3/4" Male SWT	25	100	\$9.03
WPMSL3434-NL	3/4" x 3/4" Male SWT	25	150	\$11.25

## BRASS ELBOW F1960 PEX x MIP

- Lead Free



WPML1212-NL	1/2" x 1/2" MIP	25	200	\$7.97
WPML1234-NL	1/2" x 3/4" MIP	25	100	\$9.03
WPML5834-NL	5/8" x 3/4" MIP	25	100	\$10.64
WPML3434-NL	3/4" x 3/4" MIP	25	100	\$11.48
WPML3410-NL	3/4" x 1" MIP	25	100	\$15.89

## BRASS SWIVEL ELBOW F1960 PEX x FIP

- Lead Free



PART #	SIZE	INNER	OUTER	LIST
WPFSL1212-NL	1/2" x 1/2" FIP	25	200	\$9.53
WPFSL3434-NL	3/4" x 3/4" FIP	25	100	\$14.11

## BRASS DROP EAR ELBOW F1960 PEX x FIP

- Lead Free



WPDL0012-NL	1/2" x 1/2" FIP	25	150	\$9.76
WPDL0034-NL	3/4" x 3/4" FIP	25	100	\$17.24

## BRASS TEE F1960 PEX

- Lead Free



WPTE0038-NL	3/8"	100	300	\$6.06
WPTE0012-NL	1/2"	50	200	\$9.91
WPTE0034-NL	3/4"	25	100	\$15.74
WPTE0100-NL	1"	10	50	\$29.92

## BRASS REDUCING TEE F1960 PEX

- Lead Free



WPRT1213-NL	1/2" x 1/2" x 3/4"	25	100	\$10.95
WPRT3411-NL	3/4" x 1/2" x 1/2"	25	100	\$10.60
WPRT3413-NL	3/4" x 1/2" x 3/4"	25	100	\$13.26
WPRT3431-NL	3/4" x 3/4" x 1/2"	25	100	\$12.00
WPRT3410-NL	3/4" x 3/4" x 1"	10	150	\$19.26
WPRT1013-NL	1" x 1/2" x 3/4"	10	50	\$17.97
WPRT1121-NL	1" x 1/2" x 1"	10	50	\$23.38
WPRT1031-NL	1" x 3/4" x 1/2"	10	50	\$16.59
WPRT1033-NL	1" x 3/4" x 3/4"	10	50	\$18.55
WPRT1341-NL	1" x 3/4" x 1"	10	50	\$23.96
WPRT1112-NL	1" x 1" x 1/2"	10	50	\$20.00
WPRT1134-NL	1" x 1" x 3/4"	10	50	\$22.43



# BRASS EXPANSION PEX FITTINGS **F1960**

ASTM

Manufactured to ASTM Standard F1960, CSA B137.5. DZR Brass Material. NSF Approved. Lead Free Compliant. For use with PEX-a Tubing Manufactured to ASTM Standard F876-877. Pressure/Temperature Rating: 250 psi / 180°F  
 Everflow warrants ASTM F1960 fittings ONLY when used with PEX-a tubing and when joints are made according to ASTM specifications.

## BRASS COUPLING F1960 PEX x F1960 PEX

• Lead Free



PART #	SIZE	INNER	MASTER	LIST
WPCP0038-NL	3/8"	50	700	\$4.40
WPCP0012-NL	1/2"	50	400	\$4.04
WPCP0058-NL	5/8"	50	250	\$6.20
WPCP0034-NL	3/4"	50	250	\$6.30
WPCP0100-NL	1"	25	100	\$13.23
WPRC1238-NL	1/2" x 3/8"	50	500	\$3.71
WPRC3412-NL	3/4" x 1/2"	50	200	\$6.72
WPRC1034-NL	1" x 3/4"	25	150	\$12.10

## BRASS RED. COUPLING F1960 PEX x F1960 PEX

• Lead Free



PART #	SIZE	INNER	MASTER	LIST
WPRC1238-NL	1/2" x 3/8"	50	500	\$3.71
WPRC3412-NL	3/4" x 1/2"	50	200	\$6.72
WPRC1034-NL	1" x 3/4"	25	150	\$12.10

## BRASS ADAPTER F1960 PEX x Female Sweat

• Lead Free



WPSFA1212-NL	1/2" x 1/2" Female SWT	50	500	\$3.86
WPSFA1258-NL	5/8" x 1/2" Female SWT	50	400	\$4.97
WPSFA1234-NL	1/2" x 3/4" Female SWT	50	250	\$5.32
WPSFA3412-NL	3/4" x 1/2" Female SWT	50	250	\$5.61
WPSFA3434-NL	3/4" x 3/4" Female SWT	50	250	\$6.96
WPSFA1034-NL	1" x 3/4" Female SWT	50	150	\$11.14
WPSFA1010-NL	1" x 1" Female SWT	25	100	\$13.15

## BRASS ADAPTER F1960 PEX x FIP

• Lead Free



WPFA1212-NL	1/2" x 1/2" FIP	50	250	\$5.40
WPFA1234-NL	1/2" x 3/4" FIP	25	150	\$9.11
WPFA3412-NL	3/4" x 1/2" FIP	25	150	\$7.54
WPFA3434-NL	3/4" x 3/4" FIP	15	150	\$8.12
WPFA3410-NL	3/4" x 1" FIP	50	100	\$16.23
WPFA1010-NL	1" x 1" FIP	50	100	\$14.01

## BRASS ADAPTER F1960 PEX x Male Sweat

• Lead Free



WPSMA1238-NL	3/8" x 1/2" Male SWT	50	700	\$3.38
WPSMA1212-NL	1/2" x 1/2" Male SWT	50	500	\$3.85
WPSMA1234-NL	1/2" x 3/4" Male SWT	25	250	\$6.69
WPSMA3412-NL	3/4" x 1/2" Male SWT	25	250	\$5.90
WPSMA3434-NL	3/4" x 3/4" Male SWT	25	250	\$7.19
WPSMA1034-NL	1" x 3/4" Male SWT	50	150	\$12.27
WPSMA1010-NL	1" x 1" Male SWT	25	150	\$12.68

## BRASS ADAPTER F1960 PEX x MIP

• Lead Free



WPMA0012-NL	1/2" x 1/2" MIP	50	250	\$5.76
WPMA1234-NL	1/2" x 3/4" MIP	50	150	\$8.24
WPMA5812-NL	5/8" x 1/2" MIP	50	200	\$6.44
WPMA3412-NL	3/4" x 1/2" MIP	50	200	\$6.88
WPMA3434-NL	3/4" x 3/4" MIP	50	200	\$9.14
WPMA3410-NL	3/4" x 1" MIP	25	100	\$13.54

## BRASS PLUG F1960 PEX

• Lead Free



WPPL0038-NL	3/8"	100	1,000	\$2.36
WPPL0012-NL	1/2"	50	600	\$2.90
WPPL0034-NL	3/4"	50	300	\$5.38
WPPL0100-NL	1"	50	150	\$9.17



# F1960 PLASTIC EXPANSION PEX FITTINGS



Manufactured to ASTM F1960, CSA B137.5. PPSU Engineered Plastic Material. NSF Approved. Lead Free Compliant  
For use with PEX-a Tubing Manufactured to ASTM Standard F876-877. Temperature/Pressure: 210°F / 150 psi

Everflow warrants ASTM F1960 fittings ONLY when used with PEX-a tubing and when joints are made according to ASTM specifications.

## POLY-ALLOY ELBOW F1960 PEX ELBOW

- Lead Free



PART #	SIZE	INNER	MASTER	LIST
B-FPLN0012	1/2"	25	250	\$3.00
B-FPLN0034	3/4"	10	120	\$3.76
B-FPLN0100	1"	10	100	\$8.36
B-FPRL3412	3/4" x 1/2"	10	120	\$4.03

## POLY-ALLOY ADAPTER F1960 PEX x MIP

- Lead Free



B-FPMA0012	1/2" x 1/2" MIP	25	300	\$2.89
------------	-----------------	----	-----	--------

## POLY-ALLOY COUPLING F1960 PEX

- Lead Free



B-FPPCP0012	1/2"	25	500	\$2.16
B-FPPCP0034	3/4"	25	200	\$2.88
B-FPPCP0100	1"	10	100	\$5.69
B-FPRC1034	1" x 3/4"	25	150	\$5.90
B-FPRC1234	1/2" x 3/4"	25	250	\$3.17
B-FPRC1238	1/2" x 3/8"	50	1,000	\$2.42

## POLY-ALLOY PLUG F1960 PEX

- Lead Free



PART #	SIZE	INNER	MASTER	LIST
B-FPPL0012	1/2"	50	800	\$1.66
B-FPPL0034	3/4"	25	400	\$2.19
B-FPPL0100	1"	25	250	\$4.28

## POLY-ALLOY TEE F1960 PEX

- Lead Free



B-FPTE0012	1/2"	25	200	\$2.99
B-FPTE0034	3/4"	10	100	\$5.42
B-FPTE0100	1"	10	60	\$10.08

## POLY-ALLOY RED. TEE F1960 PEX

- Lead Free



B-FPTE1213	1/2" x 1/2" x 3/4"	25	200	\$4.49
B-FPTE3411	3/4" x 1/2" x 1/2"	10	120	\$4.28
B-FPTE3413	3/4" x 1/2" x 3/4"	10	100	\$4.98
B-FPTE3431	3/4" x 3/4" x 1/2"	10	100	\$4.50
B-FPTE1341	1" x 3/4" x 3/4"	10	80	\$8.29
B-FPTE1033	1" x 1" x 1/2"	10	80	\$8.81
B-FPTE1112	1" x 3/4" x 1"	10	80	\$10.28
B-FPTE3410	1" x 1" x 3/4"	10	80	\$10.51

## BRASS DROP EAR TEE F1960 PEX x F1960 PEX x FIP

- Lead Free



RAVEN  
ENGINEERING PRODUCTS

WIDT0012-NL	1/2" x 1/2" x 1/2" FIP	15	150	\$22.96
WIDT0034-NL	3/4" x 3/4" x 3/4" FIP	10	100	\$30.68

## MONOFLOW TEE F1960 PEX

- Lead Free



RAVEN  
ENGINEERING PRODUCTS

MFW3412	3/4" x 3/4" x 1/2"	10	40	\$36.78
---------	--------------------	----	----	---------



## ASTM F1960 EXPANSION PEX SLEEVE WITH STOP EDGE



- For use installing PEX-a tubing with ASTM F1960 Expansion PEX fittings
- Includes a stop edge to further simplify the use of Expansion PEX fittings

PART #	DESCRIPTION	INNER	MASTER	LIST
FPXSL038	3/8"	40	4,000	\$0.63
FPXSL012	1/2"	20	2,000	\$0.27
FPXSL058	5/8"	50	2,500	\$0.89
FPXSL034	3/4"	40	2,000	\$0.34
FPXSL100	1"	26	1,300	\$0.44
FPXSL114	1-1/4"	10	200	\$1.83
FPXSL112	1-1/2"	10	200	\$2.39
FPXSL200	2"	15	375	\$4.97

## CHROME PLATED 1/4 TURN STOPS F1960 PEX OVAL HANDLE

- NSF & UPC Approved
- Oval Handle
- Lead Free



PART #	DESCRIPTION	INNER	MASTER	LIST
F-82512PR-NL	1/2" F1960 x 3/8" Comp Straight	10	100	\$13.93
F-81512PR-NL	1/2" F1960 x 3/8" Comp Angle	10	100	\$14.52

## CHROME PLATED 1/4 TURN STOPS F1960 PEX LEVER HANDLE

- NSF & UPC Approved
- Lever Handle
- Lead Free



**RAVEN**  
MANUFACTURING

PART #	DESCRIPTION	INNER	MASTER	LIST
27-WA1214-NL	1/2" F1960 x 1/4" Comp Angle	10	100	\$21.86
27-WA12-NL	1/2" F1960 x 3/8" Comp Angle	10	100	\$21.86
27-WS12-NL	1/2" F1960 x 3/8" Comp Straight	10	100	\$21.86

## CP FROST FREE SILLCOCK 3/4" Hose x 1/2" F1960 PEX

- Lead Free Compliant



SIZE	STANDARD	ANTI SIPHON	INNER	MASTER
4"	6204F-NL \$41.05	-	2	40
6"	6206F-NL \$38.58	62061F-NL \$41.79	2	40
8"	6208F-NL \$45.93	62081F-NL \$52.97	2	40
10"	6210F-NL \$48.69	62101F-NL \$52.73	2	40
12"	6212F-NL \$51.61	62121F-NL \$70.15	2	40
14"	6214F-NL \$48.47	-	2	40

## CP F1960 PEX SILLCOCK OVERSIZED FLANGE

- Lead Free Compliant
- 1/4 Turn Lever



**RAVEN**  
MANUFACTURING

PART #	DESCRIPTION	INNER	MASTER	LIST
1165WIR-NL	1/2"	10	50	\$29.17

## F1960 PEX STUB OUTS

- Accepts sweat, push, and compression Valves
- Enables easy adapting with F1960 PEX system
- Lead Free Compliant



PART #	DESCRIPTION	INNER	MASTER	LIST
FSO-12S8	1/2" x 8" Straight Stub Out	1	50	\$7.49
FSO-34S8	3/4" x 8" Straight Stub Out	1	30	\$9.47
FSO-12L8	1/2" x 3-1/2" x 8" Stub Out Elbow	1	50	\$9.57
FSO-34L8	3/4" x 4" x 8" Stub Out Elbow	1	30	\$15.15
FSO-12F8	1/2" x 3-1/2" x 8" Stub Out Elbow - Flange	1	25	\$11.49
FSO-34F8	3/4" x 4" x 8" Stub Out Elbow - Flange	1	20	\$17.10

# F1960 EXPANSION PEX VALVES



Manufactured to ASTM Standard F1960, CSA B137.5. DZR Brass Material. NSF Approved. Lead Free Compliant. For use with PEX-a Tubing Manufactured to ASTM Standard F876-877. Pressure/Temperature Rating: 250 psi / 180°F. Everflow warrants ASTM F1960 fittings ONLY when used with PEX-a tubing and when joints are made according to ASTM specifications.

## PEX BALL VALVES

### F1960 PEX

- Lead Free Forged Brass
- Full Port
- 400 PSI (CWP)
- UPC Approved
- Blow-Out Proof Stems
- ASTM F1960



PART #	SIZE	INNER	MASTER	LIST
600F012-NL	1/2" F1960 PEX	10	100	\$11.96
600F034-NL	3/4" F1960 PEX	10	100	\$17.75
600F001-NL	1" F1960 PEX	5	50	\$30.11
600F114-NL	1-1/4" F1960 PEX	5	25	\$45.25
600F112-NL	1-1/2" F1960 PEX	5	25	\$66.54
600F002-NL	2" F1960 PEX	2	12	\$117.18

## ADAPTER BALL VALVES

### F1960 PEX x SWT

- Lead Free Forged Brass
- Full Port
- 400 PSI (CWP)
- UPC Approved
- Blow-Out Proof Stems
- ASTM F1960



PART #	SIZE	INNER	MASTER	LIST
FSBL-012-NL	1/2" F1960 PEX x SWT	10	100	\$11.80
FSBL-034-NL	3/4" F1960 PEX x SWT	10	100	\$17.83
FSBL-001-NL	1" F1960 PEX x SWT	5	50	\$32.27

## ADAPTER BALL VALVES

### F1960 PEX x FIP

- Lead Free Forged Brass
- Full Port
- 400 PSI (CWP)
- UPC Approved
- Blow-Out Proof Stems
- ASTM F1960



PART #	SIZE	INNER	MASTER	LIST
FFBL-012-NL	1/2" F1960 PEX x FIP	10	100	\$12.82
FFBL-034-NL	3/4" F1960 PEX x FIP	10	100	\$19.70
FFBL-001-NL	1" F1960 PEX x FIP	5	50	\$33.12

## DROP EAR BALL VALVES

### F1960 PEX x F1960 PEX

- Lead Free Forged Brass
- Full Port
- 400 PSI (CWP)
- UPC Approved
- Blow-Out Proof Stems
- ASTM F1960



PART #	SIZE	INNER	MASTER	LIST
806W012-NL	1/2" F1960 PEX	20	100	\$26.82
806W034-NL	3/4" F1960 PEX	10	50	\$34.74

## PEX BALL VALVES

### F1960 PEX WITH DRAIN

- Lead Free Forged Brass
- Full Port
- 400 PSI (CWP)
- UPC Approved
- Blow-Out Proof Stems
- ASTM F1960



PART #	SIZE	INNER	MASTER	LIST
405F012-NL	1/2" F1960 PEX	10	100	\$15.71
405F034-NL	3/4" F1960 PEX	10	100	\$22.42
405F001-NL	1" F1960 PEX	5	50	\$34.22

## ADAPTER BALL VALVES

### F1960 PEX x MIP

- Lead Free Forged Brass
- Full Port
- 400 PSI (CWP)
- UPC Approved
- Blow-Out Proof Stems
- ASTM F1960



PART #	SIZE	INNER	MASTER	LIST
FMBL-012-NL	1/2" F1960 PEX x MIP	10	100	\$12.91
FMBL-034-NL	3/4" F1960 PEX x MIP	10	100	\$19.70
FMBL-001-NL	1" F1960 PEX x MIP	5	50	\$33.12

## DROP EAR ICE MAKER

### F1960 PEX x F1960 PEX x COMP

- Lead Free Forged Brass
- Full Port
- 400 PSI (CWP)
- UPC Approved
- Blow-Out Proof Stems
- ASTM F1960



PART #	SIZE	INNER	MASTER	LIST
WIMV12-NL	1/2" x 1/2" x 1/4" COMP	1	60	\$57.70

## DROP EAR BALL VALVES

### F1960 PEX With Drain

- Lead Free Forged Brass
- Full Port
- 400 PSI (CWP)
- UPC Approved
- Blow-Out Proof Stems
- ASTM F1960



PART #	SIZE	INNER	MASTER	LIST
807W012-NL	1/2" F1960 PEX	20	100	\$31.96
807W034-NL	3/4" F1960 PEX	10	50	\$48.25