

PIPE CEMENTS & PRIMERS

Trusted Quality. Premium Performance.



► For more information contact:
sales@everflowsupplies.com | 908.436.1100

RAVEN™

PIPE CEMENTS

PVC Regular Clear Cement



Regular Body · Fast Set

- Available in ¼ Pint (4 oz.), ½ Pint (8 oz.), Pint (16 oz.), & Quart (32 oz.)
- For use with PVC pipe & fittings up to 4" Sch. 40 & 2" Sch. 80
- For potable water, sewer, and drain-waste-vent (DWV) systems.
- Low-VOC formula



PART #	SIZE / DESCRIPTION	INNER	MASTER
RVCPR-4CLR	¼ Pint (4 oz.) Clear PVC Cement	1	24
RVCPR-8CLR	½ Pint (8 oz.) Clear PVC Cement	1	24
RVCPR-16CLR	Pint (16 oz.) Clear PVC Cement	1	12
RVCPR-32CLR	Quart (32 oz.) Clear PVC Cement	1	12

PVC Medium Clear Cement



Medium Body · Medium Set

- Available in ¼ Pint (4 oz.), ½ Pint (8 oz.), Pint (16 oz.), & Quart (32 oz.)
- For use with PVC pipe & fittings up to 6" Sch. 40 & 4" Sch. 80
- For potable water, sewer, and drain-waste-vent (DWV) systems.
- Low-VOC formula



PART #	SIZE / DESCRIPTION	INNER	MASTER
RVCPM-4CLR	¼ Pint (4 oz.) Clear PVC Cement	1	24
RVCPM-8CLR	½ Pint (8 oz.) Clear PVC Cement	1	24
RVCPM-16CLR	Pint (16 oz.) Clear PVC Cement	1	12
RVCPM-24CLR	Quart (32 oz.) Clear PVC Cement	1	12

PVC Wet or Dry Blue Cement



Medium Body · Fast Set

- Available in ¼ Pint (4 oz.), ½ Pint (8 oz.), Pint (16 oz.), & Quart (32 oz.)
- For use with PVC pipe & fittings up to 6" Sch. 40 & 4" Sch. 80
- For potable water, sewer, and drain-waste-vent (DWV) systems.
- Low-VOC formula



PART #	SIZE / DESCRIPTION	INNER	MASTER
RVCSM-4BLU	¼ Pint (4 oz.) Blue PVC Cement	1	24
RVCSM-8BLU	½ Pint (8 oz.) Blue PVC Cement	1	24
RVCSM-16BLU	Pint (16 oz.) Blue PVC Cement	1	12
RVCSM-32BLU	Quart (32 oz.) Blue PVC Cement	1	12

All Purpose Clear Cement



PVC · CPVC · ABS · Medium Body · Fast Set

- Available in ¼ Pint (4 oz.), ½ Pint (8 oz.), Pint (16 oz.), & Quart (32 oz.)
- For use with pipe & fittings up to 6" Sch. 40 & 4" Sch. 80
- For potable water, sewer, and drain-waste-vent (DWV) systems.
- Low-VOC formula



PART #	SIZE / DESCRIPTION	INNER	MASTER
RVCAM-4CLR	¼ Pint (4 oz.) All Purpose Cement	1	24
RVCAM-8CLR	½ Pint (8 oz.) All Purpose Cement	1	24
RVCAM-16CLR	Pint (16 oz.) All Purpose Cement	1	12
RVCAM-32CLR	Quart (32 oz.) All Purpose Cement	1	12

PIPE CEMENTS & PRIMERS

CPVC Orange Cement



Regular Body · Fast Set

- Available in ¼ Pint (4 oz.), ½ Pint (8 oz.), Pint (16 oz.), & Quart (32 oz.)
- For use with CPVC pipe & fittings up to 4" Sch. 40 & 2" Sch.80
- For potable water, sewer, and drain-waste-vent (DWV) systems.
- Low-VOC formula



PART #	SIZE / DESCRIPTION	INNER	MASTER
RVCCM-4ORG	¼ Pint (4 oz.) Orange CPVC Cement	1	24
RVCCM-8ORG	½ Pint (8 oz.) Orange CPVC Cement	1	24
RVCCM-16ORG	Pint (16 oz.) Orange CPVC Cement	1	12
RVCCM-32ORG	Quart (32 oz.) Orange CPVC Cement	1	12

Purple Primer



Medium Body · Medium Set

- Available in ¼ Pint (4 oz.), ½ Pint (8 oz.), Pint (16 oz.), & Quart (32 oz.)
- For use with prepping PVC & CPVC pipe & fittings
- For potable water, sewer, and drain-waste-vent (DWV) systems.
- Low-VOC formula



PART #	SIZE / DESCRIPTION	INNER	MASTER
RVPRM-4PRP	¼ Pint (4 oz.) Purple Primer	1	24
RVPRM-8PRP	½ Pint (8 oz.) Purple Primer	1	24
RVPRM-16PRP	Pint (16 oz.) Purple Primer	1	12
RVPRM-32PRP	Quart (32 oz.) Purple Primer	1	12

Clear Primer



Medium Body · Fast Set

- Available in ¼ Pint (4 oz.), ½ Pint (8 oz.), Pint (16 oz.), & Quart (32 oz.)
- For use with PVC pipe & fittings up to 6" Sch. 40 & 4" Sch.80
- For potable water, sewer, and drain-waste-vent (DWV) systems.
- Low-VOC formula



PART #	SIZE / DESCRIPTION	INNER	MASTER
RVPRM-4CLR	¼ Pint (4 oz.) Blue PVC Cement	1	24
RVPRM-6CLR	½ Pint (8 oz.) Blue PVC Cement	1	24
RVPRM-16CLR	Pint (16 oz.) Blue PVC Cement	1	12
RVPRM-32CLR	Quart (32 oz.) Blue PVC Cement	1	12

Epoxy Pro 20 Putty



PVC · CPVC · ABS · Medium Body · Medium Set

- Available in 2 oz. or 4 oz. tubes
- Kneadable fast curing mixes in one minute
- Hardens like steel in 20 minutes
- Repairs many surfaces including metals wood, glass, concrete ceramics
- One hour after mixing can be drilled, sawed, sanded, filed, tapped, machined or painted



PART #	SIZE / DESCRIPTION	INNER	MASTER
RVPX20-2	2 oz. Tube Epoxy Pro 20	1	24
RVPX20-4	4 oz. Tube Epoxy Pro 20	1	24

PIPE PREP

Abrasive Open Mesh Cloth



180 Grit · Premium Grade · Dispenser Box

- Cleans copper pipe & fittings and other soft metals.
- Made with resin-bonded 180 grit aluminum oxide.
- Heat Resistant & Waterproof
- Easy-to-clean open mesh



PART #	SIZE / DESCRIPTION	INNER	MASTER
OMSC5	1.5" x 5 Yard Open Mesh 180 Grit	1	24
OMSC10	1.5" x 10 Yard Open Mesh 180 Grit	1	24

Abrasive Sandcloth Mesh



120 Grit · Premium Grade · Dispenser Box

- Cleans copper pipe & fittings, soft metals & plastic pipe.
- Made with resin-bonded 120 grit aluminum oxide.
- Heat Resistant & Waterproof



PART #	SIZE / DESCRIPTION	INNER	MASTER
CMSC5	1.5" x 5 Yard Sandcloth Mesh 120 Grit	1	24
CMSC10	1.5" x 10 Yard Sandcloth Mesh 120 Grit	1	24

Abrasive Pad



Coarse Grit · Nylon

- Ideal for everyday use such as prepping surfaces, removing corrosion and general scouring.



PART #	SIZE	COLOR	PACK QTY	INNER	MASTER
SP0609-2	6" x 9" Pad	Maroon	2 Pad/Bag	5	60
SP0609-10	6" x 9" Pad	Maroon	10 Pad/Bag	4	12

Duct Tape



Water Proof

- 60 yard length
- 9 mil thickness
- 1.89" wide
- Water proof & durable



PART #	SIZE / DESCRIPTION	INNER	MASTER
DT260B	Black Dust Tape	1	24
DT260G	Grey Duct Tape	1	24

Acid Brushes



12 Pack Bags

- Horse Hair Bristles
- Aluminum Handle
- Sold in Bags of 12



PART #	SIZE / DESCRIPTION	INNER	MASTER
R51-BR1	#1- 3/8" x 6"	144	1728
R51-BR2	#2- 1/2" x 6"	144	1728

High Quality PTFE Sealing Tape



Point
of sale
display box

- A new, thicker, professional-grade density
- Protects against rust and corrosion
- Creates a permanent, watertight seal
- Easy to apply


Designed for threads made from galvanized steel, iron, brass, copper, aluminum, stainless steel, polyethylene, polypropylene, PVC, CPVC, ABS, fiberglass and more.

Will not harden or crack on the joints



TOUGHER SEAL

Raven PTFE polytetrafluoropolyethylene thread sealing tape is a thicker, denser, general-purpose thread seal tape. Fewer wraps are necessary to affect a leak-proof seal and it applies easily. No waste, and no re-taping make sealing joints an easy task. Raven thread sealing tape is manufactured from PTFE resin, a polymer consisting of recurring tetrafluoroethylene monomers (CF₂-CF₂)_n formula.



Gray PTFE Sealing Tape

Composition: 99.6% PTFE < 0.4%
Pigment Color: Gray
Thickness: 0.0035" +/- 10%
Tensile Strength: 15N / mm2
Density: 0.8g/cm3

PTFE Sealing Tape For Gas Line

Composition: 99.6% PTFE < 0.4%
Pigment Color: Yellow
Thickness: 0.004" +/- 10%
Tensile Strength: 15N / mm2
Density: 1.4 g/cm3



PART #	SIZE	INNER	MASTER
TTCG12260Y	1/2" x 260	25	250
TTCG121000Y	1/2" x 1000	25	250

PART #	SIZE	INNER	MASTER
TTC12520G	1/2" x 520	45	250
TTC34520G	3/4" x 520	45	250
* TTC1296G	1/2" x 1296	63	252
* TTC3496G	3/4" x 1296	45	180

* Sold in Display Case

White PTFE Sealing Tape

Composition: 99.6% PTFE < 0.4%
Pigment Color: White
Thickness: 0.0035" +/- 10%
Tensile Strength: 15N / mm2
Density: 0.8g/cm3



PART #	SIZE	INNER	MASTER
TTC12520	1/2" x 520	25	250
TTC34520	3/4" x 520	25	250
TTC1296	1/2" x 1296	25	250



HEAVY DUTY SCRUBBING TOWELS



**Dual Texture Hand
Cleaning Towels for
Extra Tough Jobs**

Pre-Moistened 10" x 12" Towels

- 76 Sheets Dispenser Tub
- 6 Pack Cut Off Lid Display Box

PART #	DESCRIPTION	CASE
RVTW-12	Heavy-Duty Pre-Moistened Scrubbing Towels	6



*Keep Hands
Clean from...*

- Pipe Dope
- Heavy Soil
- Grease
- Oils
- Inks
- Paints
- Lubricants
- Caulk
- Tar
- Cements
- Adhesives
- Flux
- & more.